

## Data Sharing Statement

<b>Article Info</b>	<a href="http://dx.doi.org/10.21037/atm-20-6781">http://dx.doi.org/10.21037/atm-20-6781</a>	
<b>Item</b>	<b>Question</b>	<b>Authors' Response (place "-" if not applicable)</b>
1	Would you like to share data collected for your study to others?	Yes
2	If not, would you like to share the reason for your decision?	-
3	What data in particular will be shared?	The clinical application and accuracy data of 3D printing guide plate for mandible reconstruction with fibula flap will be shared.
4	Any other documents will be shared? Such as study protocol, statistical analysis plan, informed consent form, clinical study report, analytic code.	Statistical analysis plan, informed consent form, will also be shared if requested.
5	When will data availability begin?	From the publication date.
6	When will data availability end?	One year within the publication date, since the technique or survival date may be updated over time.
7	To whom will you share the data?	Medical dentists who are interested in studies of mandible reconstruction with fibula flap by 3D printing guide plate.
8	For what type of analysis or purpose?	For analysis to evaluate the clinical application and accuracy of 3D printing PLA guide plate.
9	How or where can the data/documents be obtained?	Emails could be sent to the address below to obtain the shared data: <a href="mailto:lujian9806@sohu.com">lujian9806@sohu.com</a> .
10	Any other restrictions?	We may balance the potential benefits and risks for each request and then provide the data that could be shared.